

**FAIRFIELD TOWNSHIP
RESOLUTION NO. 25-31**

**RESOLUTION AUTHORIZING THE PURCHASE OF A NEW DUMP TRUCK WITH PLOW
FOR THE PUBLIC WORKS DEPARTMENT FROM FYDA FREIGHTLINER CINCINNATI,
AT A COST OF \$218,322.00.**

WHEREAS: The Public Works Department currently employees eight full-time employees; and

WHEREAS: The additional dump truck with plow will be put in service to allow the oldest truck to be used as an emergency back-up, resulting in more safe and efficient service for Township residents;

NOW, THEREFORE, BE IT RESOLVED, by the Board of Trustees of Fairfield Township, Butler County, Ohio, as follows;

SECTION 1: The Board hereby approves the purchase of a new dump truck with plow for the public works department, from FYDA Freightliner Cincinnati, at a cost of \$218,322.00, attached hereto as Exhibit "A". Pricing was a State Bid price and purchase to be paid from JEDD Fund #2901.

SECTION 2: The Board hereby dispenses with the requirement that this resolution be read on two separate days, pursuant to RC 504.10, and authorizes the adoption of this resolution upon its first reading.

SECTION 3 This resolution is the subject of the general authority granted to the Board of Trustees through the Ohio Revised Code and not the specific authority granted to the Board of Trustees through the status as a Limited Home Rule Township.

SECTION 4: That it is hereby found and determined that all formal actions of this Board concerning and relating to the passage of this Resolution were taken in meetings open to the public, in compliance with all legal requirements including §121.22 of the Ohio Revised Code.

SECTION 5: This resolution shall take effect at the earliest period allowed by law.

Adopted: February 11, 2025

Board of Trustees

Michael Berding: _____

Shannon Hartkemeyer: _____

Joe McAbee: _____

Vote of Trustees

yes

yes

yes

AUTHENTICATION

This is to certify that this is a resolution which was duly passed and filed with the Fairfield Township Fiscal Officer this 11th day of February, 2025.

ATTEST:

Shelly Schultz
Shelly Schultz, Fairfield Township Fiscal Officer

APPROVED AS TO FORM:

Katherine Barbieri
Katherine Barbieri, Township Law Director



2025 public works budget list.....

Freightliner M2 106 plus = 218,322 State Bid pricing.

2 New Scag Cheetah 2 zero turn mowers = 25,738.00

Sourcewell pricing.

Sealcoat public works parking lot = 10,000

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567


Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

A proposal for
FAIRFIELD TOWNSHIP
Budgetary Quote for 2026MY Plow chassis

Prepared by
FYDA FREIGHTLINER CINCINNATI
Mike Bailey

Oct 08, 2024

Freightliner M2 106 Plus



Components shown may not reflect all spec'd options and are not to scale

218,322 TOTAL
STATE BID

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

SPECIFICATION PROPOSAL

	Description
Price Level	
	M2 PRL-29M (EFF:MY26 ORDERS)
Data Version	
	SPECPRO21 DATA RELEASE VER 012
Vehicle Configuration	
	M2 106 PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560 LH PRIMARY STEERING LOCATION
General Service	
	TRUCK/TRAILER CONFIGURATION DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES) CARB CLEAN IDLE LABELS NOT FOR INITIAL REGISTRATION IN STATES REQUIRING CARB EMISSIONS CERTIFICATION (INCLUDES 6X4 INCH LABELS ON LOWER FORWARD OF DRIVER DOOR) NONE CONSTRUCTION SERVICE GOVERNMENT BUSINESS SEGMENT DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE MEDIUM TRUCK WARRANTY EXPECTED FRONT AXLE(S) LOAD : 14700.0 lbs

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

EXPECTED REAR DRIVE AXLE(S) LOAD :
23000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 37700.0 lbs
EXPECTED GROSS COMBINATION WEIGHT :
80000.0 lbs

Truck Service

FRONT PLOW/END DUMP BODY
WA JONES AND SON
EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE
FRAME "XX" INCHES : 32.0 in

Tractor Service

FLATBED TRAILER
SINGLE (1) TRAILER

Engine

CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM,
1050 LB-FT @ 1200 RPM

Electronic Parameters

68 MPH ROAD SPEED LIMIT
CRUISE CONTROL SPEED LIMIT SAME AS ROAD
SPEED LIMIT
CUMMINS TRIP INFORMATION REPORTS
ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH
ABOVE ROAD SPEED LIMIT
PTO GOVERNOR RAMP RATE - 50 RPM PER
SECOND
FUEL DOSING OF AFTERTREATMENT ENABLED
IN PTO MODE-CLEANS HYDROCARBONS AT
HIGH TEMPERATURES ONLY
ONE REMOTE PTO SPEED
PTO SPEED 1 SETTING - 800 RPM
PTO MINIMUM RPM - 650
REGEN INHIBIT SPEED THRESHOLD - 0 MPH
PTO 1, NO SWITCH, TEM SUPPLIED REQUEST
AND INTERLOCK, WITH PTO CONNECTIONS, NO
INTERLOCKS
ENGINE MOUNT PTO, NO SWITCH, TEM
SUPPLIED REQUEST, DRIVING INTERLOCKS

Engine Equipment

EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX
CONFIGURATION

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

NO CARB24 SURCHARGE
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH FIREWALL
MOUNTED DONALDSON AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(2) DTNA GENUINE, FLOODED STARTING, MIN
2000CCA, 370RC, THREADED STUD BATTERIES
BATTERY BOX FRAME MOUNTED
STANDARD BATTERY JUMPERS
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE UNDER CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
NON-POLISHED BATTERY BOX COVER
NON-ESSENTIAL POSITIVE LOAD DISCONNECT,
IN CAB CONTROL SWITCH MOUNTED
OUTBOARD OF DRIVER SEAT
POSITIVE AND NEGATIVE POSTS FOR
JUMPSTART LOCATED ON FRAME NEXT TO
STARTER
PROGRESSIVE LOW VOLTAGE DISCONNECT AT
12.3 VOLTS FOR DESIGNATED CIRCUITS
CUMMINS TURBOCHARGED 18.7 CFM AIR
COMPRESSOR WITH INTERNAL SAFETY VALVE
STANDARD MECHANICAL AIR COMPRESSOR
GOVERNOR
AIR COMPRESSOR DISCHARGE LINE
ELECTRONIC ENGINE INTEGRAL WARNING AND
DERATE PROTECTION SYSTEM
CUMMINS ENGINE INTEGRAL BRAKE WITH
VARIABLE GEOMETRY TURBO ON/OFF WITH
BRAKE LAMPS
RH OUTBOARD UNDER STEP MOUNTED
HORIZONTAL AFTERTREATMENT SYSTEM
ASSEMBLY WITH RH B-PILLAR MOUNTED
VERTICAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE,
AUTOMATIC OVER THE ROAD REGENERATION
AND VIRTUAL REGENERATION REQUEST
SWITCH IN CLUSTER
10 FOOT 00 INCH (120 INCH+0/-5.9 INCH)
EXHAUST SYSTEM HEIGHT

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
6 GALLON DIESEL EXHAUST FLUID TANK
100 PERCENT DIESEL EXHAUST FLUID FILL
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
STANDARD DIESEL EXHAUST FLUID TANK CAP
ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)
HIGH SPEED AIR POWERED ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
CUMMINS SPIN ON FUEL FILTER
COMBINATION FULL FLOW/BYPASS OIL FILTER
NO COOLANT FILTER
1100 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
RADIATOR DRAIN VALVE
NO RADIATOR/OIL PAN GUARD
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

ALLISON VOCATIONAL PACKAGE 146 -
AVAILABLE ON 3000/4000 PRODUCT FAMILIES
WITH VOCATIONAL MODEL RDS

ALLISON VOCATIONAL RATING FOR ON/OFF
HIGHWAY APPLICATIONS AVAILABLE WITH ALL
PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 3, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY

S1 PERFORMANCE PRIMARY SHIFT SCHEDULE,
AVAILABLE FOR 3000/4000 PRODUCT FAMILIES
ONLY

S1 PERFORMANCE SECONDARY SHIFT
SCHEDULE, AVAILABLE FOR 3000/4000
PRODUCT FAMILIES ONLY

2200 RPM PRIMARY MODE SHIFT SPEED

2200 RPM SECONDARY MODE SHIFT SPEED

ENGINE BRAKE RANGE PRESELECT
RECOMMENDED BY DTNA AND ALLISON, THIS
DEFINED BY ENGINE AND VOCATIONAL USAGE

ENGINE BRAKE RANGE ALTERNATE
PRESELECT RECOMMENDED BY DTNA AND
ALLISON, THIS DEFINED BY ENGINE AND
VOCATIONAL USAGE

FUEL SENSE 2.0 PLUS - DYNACTIVE:
PERFORMANCE, NEUTRAL AT STOP: ACTIVE

DRIVER SWITCH INPUT - DEFAULT - NO
SWITCHES

MAXIMUM ENGINE SPEED FOR PTO
ENGAGEMENT 900 RPM

MAXIMUM ENGINE SPEED FOR PTO
OPERATION 3100 RPM

MAXIMUM OUTPUT SPEED FOR PTO
ENGAGEMENT 700 RPM

MAXIMUM OUTPUT SPEED FOR PTO
OPERATION 3900 RPM - ALLISON 5TH GEN
TRANSMISSIONS

QUICKFIT BODY LIGHTING CONNECTOR AT
END OF FRAME, WITH BLUNTCUTS

ELECTRONIC TRANSMISSION WIRING TO
CUSTOMER INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 280 SERIES
PTO

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

PTO MOUNTING, LH SIDE OF MAIN
TRANSMISSION ALLISON
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION DRAIN, AXLE(S) FILL AND
DRAIN
PUSH BUTTON ELECTRONIC SHIFT CONTROL,
DASH MOUNTED
TRANSMISSION PROGNOSTICS - ENABLED 2013
WATER TO OIL TRANSMISSION COOLER, IN
RADIATOR END TANK
TRANSMISSION OIL CHECK AND FILL WITH
ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295
COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74
DROP SINGLE FRONT AXLE
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, PLATINUM SHIELD
FABRICATED SHOES
NON-ASBESTOS FRONT BRAKE LINING
CAST IRON OUTBOARD FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
BENDIX VERSAJUST AUTOMATIC FRONT SLACK
ADJUSTERS
TRW TAS-85 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
OIL/AIR POWER STEERING COOLER
CURRENT AVAILABLE SYNTHETIC 75W-90
FRONT AXLE LUBE

Front Suspension

16,000# FLAT LEAF FRONT SUSPENSION
GRAPHITE BRONZE BUSHINGS WITH SEALS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

Rear Axle and Equipment

MERITOR RS-23-161 23,000# R-SERIES SINGLE REAR AXLE
6.14 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE
INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE <5 MPH, DISENGAGE >25 MPH
MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
REAR OIL SEALS
BENDIX EVERSURE LONGSTROKE HEAVY DUTY 30/36 1-DRIVE AXLE SPRING PARKING CHAMBERS
BENDIX VERSAJUST AUTOMATIC REAR SLACK ADJUSTERS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD
SPRING SUSPENSION - NO AXLE SPACERS
STANDARD AXLE SEATS IN AXLE CLAMP GROUP
FORE/AFT CONTROL RODS

Pusher / Tag Equipment

NO PUSHER/TAG BRAKE DUST SHIELDS

Brake System

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

AIR BRAKE PACKAGE
WABCO 4S/4M ABS WITH TRACTION CONTROL
WITH ATC SHUT OFF SWITCH
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
STANDARD AIR SYSTEM PRESSURE
PROTECTION SYSTEM
STD U.S. FRONT BRAKE VALVE
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9SI BRAKE LINE AIR DRYER WITH
HEATER
AIR DRYER MOUNTED INBOARD ON LH RAIL
ALUMINUM AIR BRAKE RESERVOIRS
BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER
- WET TANK

Trailer Connections

NO TRAILER AIR HOSE
NO AIR HOSE HANGER
AIR CONNECTIONS TO END OF FRAME WITH
GLAD HANDS FOR TRUCK AND DUST COVERS
PRIMARY CONNECTOR/RECEPTACLE WIRED
FOR SEPARATE STOP/TURN, CENTER PIN
POWERED THROUGH IGNITION WITH STOP
SIGNAL PREWIRE PACKAGE
SAE J560 7-WAY PRIMARY TRAILER CABLE
RECEPTACLE TEMPORARY TIED & COILED IN
CHASSIS END OF FRAME WITH 2' ADDITIONAL;
NO BRACKETS
NO TRAILER ELECTRICAL CABLE

Wheelbase & Frame

3825MM (151 INCH) WHEELBASE
7/16X3-9/16X11-1/8 INCH STEEL FRAME
(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT
1650MM (65 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 61 INCH TO 70
INCH

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
85.04 in
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA) : 82.04 in
CALC'D FRAME LENGTH - OVERALL : 244.98 in
CALCULATED FRAME SPACE LH SIDE : 50.32 in
CALCULATED FRAME SPACE RH SIDE : 52.42 in
CALC'D SPACE AVAILABLE FOR DECKPLATE :
0.0 in
SQUARE END OF FRAME
FRONT CLOSING CROSSMEMBER
LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE
CROSSMEMBER
STANDARD CROSSMEMBER BACK OF
TRANSMISSION
STANDARD MIDSHIP #1 CROSSMEMBER(S)
STANDARD REARMOST CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

THREE-PIECE 14 INCH CHROMED STEEL
BUMPER WITH COLLAPSIBLE ENDS
NO MUDFLAP BRACKETS
NO REAR MUDFLAPS
FENDER AND FRONT OF HOOD MOUNTED
FRONT MUDFLAPS
GRADE 8 THREADED HEX HEADED FRAME
FASTENERS
EXTERIOR HARNESES WRAPPED IN
ABRASION TAPE
CLEAR FRAME RAILS FROM BACK OF CAB TO
FRONT REAR SUSPENSION BRACKET, BOTH
RAILS OUTBOARD

Fifth Wheel

NO FIFTH WHEEL

Fuel Tanks

50 GALLON/189 LITER SHORT RECTANGULAR
ALUMINUM FUEL TANK - LH
RECTANGULAR FUEL TANK(S)
POLISHING OF FUEL/HYDRAULIC TANK(S) WITH
PAINTED BANDS
FUEL TANK(S) FORWARD

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

POLISHED STAINLESS STEEL STEP FINISH
FUEL TANK CAP(S)
DETROIT FUEL/WATER SEPARATOR WITH
WATER IN FUEL SENSOR, HAND PRIMER AND
12 VOLT PREHEATER"
EQUIFLO INBOARD FUEL SYSTEM
HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE

Tires

CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY
RADIAL FRONT TIRES
CONTINENTAL INTELLIGENT HDC3 11R22.5 16
PLY RADIAL REAR TIRES

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT
HUBS
CONMET PRESET PLUS PREMIUM IRON REAR
HUBS

Wheels

ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB
PILOT 5.99 INSET ALUMINUM FRONT WHEELS
ALCOA ULA18X 22.5X8.25 10-HUB PILOT
ALUMINUM DISC REAR WHEELS
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS

Cab Exterior

106 INCH BBC FLAT ROOF ALUMINUM
CONVENTIONAL CAB
AIR CAB MOUNTING
NONREMOVABLE BUGSCREEN MOUNTED
BEHIND GRILLE
2-1/2 INCH FENDER EXTENSIONS
LH AND RH EXTERIOR GRAB HANDLES WITH
SINGLE RUBBER INSERT
STATIONARY MOLDED IN COLOR FULL GRILLE
FOR CHASSIS WITHOUT INTEGRAL FRONT
FRAME EXTENSIONS
MOLD-IN COLOR HOOD MOUNTED AIR INTAKE
GRILLE
FIBERGLASS HOOD
TUNNEL/FIREWALL LINER

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

SINGLE 14 INCH ROUND HADLEY AIR HORN
UNDER LH DECK
SINGLE ELECTRIC HORN
REAR LICENSE PLATE MOUNT END OF FRAME
INTERGRAL LED HEADLIGHTS; NON-
COMPLIANT WITH FMVSS 108 HEADLIGHT
HEIGHT REQUIREMENT
LED AERODYNAMIC MARKER LIGHTS
WIRING AND SWITCH FOR CUSTOMER
FURNISHED SNOW PLOW LAMPS WITH DUAL
CONNECTIONS AT BUMPER
HEADLIGHTS ON WITH WIPERS, NO DAYTIME
RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
STANDARD FRONT TURN SIGNAL LAMPS
DUAL WEST COAST BRIGHT FINISH HEATED
MIRRORS WITH LED LIGHTS AND LH AND RH
REMOTE
DOOR MOUNTED MIRRORS
102 INCH EQUIPMENT WIDTH
LH AND RH 8 INCH BRIGHT FINISH CONVEX
MIRRORS MOUNTED UNDER PRIMARY
MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
RH AFTERTREATMENT SYSTEM CAB ACCESS
WITH POLISHED DIAMOND PLATE COVER
63X14 INCH TINTED REAR WINDOW
TINTED DOOR GLASS LH AND RH WITH TINTED
NON-OPERATING WING WINDOWS
RH AND LH ELECTRIC POWERED WINDOWS
1-PIECE BONDED HEATED WIPER PARK SOLAR
GREEN GLASS WINDSHIELD
2 GALLON WINDSHIELD WASHER RESERVOIR
WITH FLUID LEVEL INDICATOR, FRAME
MOUNTED

Cab Interior

RUGGED TRIM PACKAGE
GRAY & CARBON VINYL INTERIOR "RUGGED"
CARBON WITH PREMIUM GUNMETAL ACCENT
(RUGGED)
MOLDED PLASTIC DOOR PANEL

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

MOLDED PLASTIC DOOR PANEL
BLACK MATS WITH SINGLE INSULATION
(1)DASH MOUNTED 12V POWER OUTLET,
(1)DASH MOUNTED DUAL USB-C OUTLET
FORWARD ROOF MOUNTED CONSOLE
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
(2) CUP HOLDERS LH AND RH DASH
M2/SD DASH
5 LB. FIRE EXTINGUISHER
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING WITH SNOW
SHIELD FOR FRESH AIR INTAKE
MAIN HVAC CONTROLS WITH RECIRCULATION
SWITCH
STANDARD HEATER PLUMBING WITH BALL
SHUTOFF VALVES AT SUPPLY LINES ONLY
VALEO HEAVY DUTY A/C REFRIGERANT
COMPRESSOR
BINARY CONTROL, R-134A
PREMIUM INSULATION
SOLID-STATE CIRCUIT PROTECTION AND
FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
PREMIUM LED CAB LIGHTING
NO SECURITY DEVICE
ALL UNIT(S) KEYED ALIKE WITH CUSTOMER
SPECIFIED KEY NUMBER FT1013
KEY QUANTITY OF 4
LH AND RH ELECTRIC DOOR LOCKS
NO MATTRESS
TRIANGULAR REFLECTORS KIT WITHOUT
FLARES SHIPPED LOOSE IN CAB
PREMIUM ISRINGHAUSEN HIGH BACK AIR
SUSPENSION DRIVERS SEAT WITH 2 AIR
LUMBAR, INTEGRATED CUSHION EXTENSION,
TILT AND ADJUSTABLE SHOCK
BASIC ISRINGHAUSEN HIGH BACK AIR
SUSPENSION PASSENGER SEAT WITH
MECHANICAL LUMBAR AND INTEGRATED
CUSHION EXTENSION

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

DUAL DRIVER AND PASSENGER SEAT
ARMRESTS
LH AND RH INTEGRAL DOOR PANEL ARMRESTS
BLACK CORDURA PLUS CLOTH DRIVER SEAT
COVER
BLACK CORDURA PLUS CLOTH PASSENGER
SEAT COVER
BLACK SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) LEATHER WRAPPED
STEERING WHEEL WITH CHROME SWITCH
BEZELS
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

6 EXTRA PROGRAMMABLE
SWITCHES/INDICATORS
NO INSTRUMENT PANEL-DRIVER
FULLY CONFIGURABLE CENTER INSTRUMENT
PANELS
ENGINE REMOTE INTERFACE WITH PARK
BRAKE INTERLOCK
BRIGHT ARGENT FINISH GAUGE BEZELS
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE
DASH MOUNTED AIR RESTRICTION INDICATOR
WITH GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
PREMIUM INSTRUMENT CLUSTER WITH 5.0
INCH TFT COLOR DISPLAY
DIGITAL PANEL LAMP DIMMER SWITCH IN
DRIVER DISPLAY
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR LOCATED BELOW LH
DASH
2 INCH ELECTRIC FUEL GAUGE

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS

QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS

QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS

ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE

NO OBSTACLE DETECTION SYSTEM

NO DR ASSIST SYSTEM

(1) BACKUP CAMERA-END OF FRAME MOUNTED WITH 15 FOOT EXTRA LONG CABLE COILED AT END OF FRAME

NO VEHICLE STABILITY ADVISOR OR CONTROL

NO LANE DEPARTURE WARNING SYSTEM

ELECTRIC ENGINE OIL PRESSURE GAUGE

NO OVERHEAD INSTRUMENT PANEL

1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC) W/ (4) 20AMP FUSED RELAYS

GENERIC TELEMATICS PREWIRE (CONSTANT BATTERY POWER/IGNITION/GROUND/J1939); RP1226 TYPE CONNECTOR AT PASSENGER SIDE OF DASH

7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

NO AM/FM RADIO ANTENNA

POWER AND GROUND WIRING PROVISION OVERHEAD

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION
MULTI-BAND AM/FM/WB/CB LH MIRROR
MOUNTED ANTENNA SYSTEM
NO MULTIBAND ANTENNA
INTEROPERABLE SDAR ANTENNA, SHIP LOOSE
STANDARD RADIO WIRING WITH STEERING
WHEEL CONTROLS
ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITHOUT
ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
3 YEARS DAIMLER CONNECTIVITY BASE
PACKAGE ON (FEATURES VARY BY MODEL)
POWERED BY DETROIT CONNECT ON
CUMMINS ENGINES
NO ASE DATA SVCE EXTENSION
NO EXTENSIONS
(2) TMC RP1226 ACCESSORY CONNECTORS: (1)
LOCATED BEHIND PASSENGER SIDE
REMOVABLE DASH PANEL (1) CENTER OF
OVERHEAD CONSOLE
IGNITION SWITCH CONTROLLED ENGINE STOP
PRE-TRIP INSPECTION FEATURE FOR
EXTERIOR LAMPS AND SERVICE BRAKES
(1) OVERHEAD MOUNTED LANYARD CONTROL
FOR DRIVER AIR HORN
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR
WITH DELAY AND ARCTIC TYPE BLADES
ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT
FOR OPTIONAL FOG/ROAD LAMPS
TWO VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR
SELF CANCELING TURN SIGNAL SWITCH WITH
DIMMER, HEADLAMP FLASH,
WASH/WIPE/INTERMITTENT

Prepared for:
Jeff Bennett
FAIRFIELD TOWNSHIP
6032 MORRIS RD
NULL
HAMILTON, OH 45011
Phone: 513-939-6567

Prepared by:
Mike Bailey
FYDA FREIGHTLINER
CINCINNATI
1 FREIGHTLINER DRIVE
CINCINNATI, OH 45241
Phone: 513-772-7171

Description

INTEGRAL ELECTRONIC TURN SIGNAL
FLASHER WITH 40 AMP (20 AMP PER SIDE)
TRAILER LAMP CAPACITY

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS

Extended Warranty

CUMMINS ENGINE CARB COMPLIANT: L9 HD1 MD DTY 5 YEARS /
100,000 MILES / 161,000 KM EXTENDED WARRANTY. FEX APPLIES
TC4: MD MODERATE 7 YEARS/100,000 MILES / 161,000 KM
EXTENDED TRUCK COVERAGE. FEX APPLIES
TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING
COVERAGE \$750 CAP FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:
 Jeff Bennett
 FAIRFIELD TOWNSHIP
 6032 MORRIS RD
 NULL
 HAMILTON, OH 45011
 Phone: 513-939-6567

Prepared by:
 Mike Bailey
 FYDA FREIGHTLINER
 CINCINNATI
 1 FREIGHTLINER DRIVE
 CINCINNATI, OH 45241
 Phone: 513-772-7171

Q U O T A T I O N

M2 106 PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK
 CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-
 FT @ 1200 RPM
 ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH
 PTO PROVISION
 MERITOR RS-23-161 23,000# R-SERIES SINGLE REAR
 AXLE
 30,000# FLAT LEAF SPRING REAR SUSPENSION WITH
 HELPER AND RADIUS ROD
 DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74 DROP
 SINGLE FRONT AXLE
 16,000# FLAT LEAF FRONT SUSPENSION

106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL
 CAB
 3825MM (151 INCH) WHEELBASE
 NO FIFTH WHEEL
 7/16X3-9/16X11-1/8 INCH STEEL FRAME
 (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
 1650MM (65 INCH) REAR FRAME OVERHANG
 TEM TO EVALUATE AND INSTALL FRAME RAIL
 REINFORCEMENT AS NEEDED FOR FRONT
 FRAME MOUNTED EQUIPMENT

		PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	104,830	\$ 104,830
EXTENDED WARRANTY		\$	3,105	\$ 3,105
DEALER INSTALLED OPTIONS		\$	0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$	107,935	\$ 107,935

TAXES AND FEES

TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	107,935	\$ 107,935
-------------	------------------	----	---------	------------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

7/19/2024

Fairfield Township
Attn: Jeff Bennett
6897 Gilmore Rd
Hamilton, OH 45011
RE: Single Axle Equipment Quote
Per Aebi Schmidt/Monroe SourceWell Contract# 062222-AEB

Snow Plow

Buyers SnowDogg Model Reversible Snow Plow

10'x42" Full Trip Moldboard
Gloss Black Steel Moldboard
Integral Shield Moldboard for Reduced Blowback
(2) Compression Style Trip Springs
(8) ½"x3" Flame Cut Reinforcing Ribs
Full Width 4"x4"x3/8" Pushframe
(8) Moldboard to Pushframe Pivot Points
4"x4"x3/4" Bottom Angle
4"x10" Double Acting Reversing Cylinders
2" Greasable King Pin
Cushion Valve to Protect Angling Cylinders
10'x5/8"x8" Standard Highway Punch Cutting Edge
Plow Markers
Rubber Snow Deflector
Parking Jack Installed
Pin and Loop Hitch with
Plow Installed 100% To Your Specifications-No Exceptions

Plow Hitch

Monroe 00178527 Pin and Loop Snow Plow Hitch

Low Profile with Fold Flat Lift Arm
Telescopic Lift Arm-Built in Level Lift
4" Lift Cylinder
Heavy 5/8" Sideplates
Hitch Installed As Close to Grill As Possible
OEM Bumpers Cut, Split, and Bolted to Sides of Hitch
Plow and Hitch Fully Compatible with Existing Fleet
Primed, Painted, and Installed
Hitch Installed 100% To Your Specifications-No Exceptions

Central Hydraulic System

Certified Power Load Sense System

Chelsea 280 Wet Spline PTO-Constant Mesh
Danfoss JRR75 Load Sense Piston Pump
Dual Electric Joystics
MDC Console With Adjustable Armrest and (6) Backlit LED Accessory Switches
Freedom 2.2 Electric Spreader Controller
Stainless Steel Valve Mount Tank Installed Drivers Side
Stainless Steel Hydraulic Lines Run to Front and Rear
JIC Style Compression Fittings
½" Stainless Steel Quick Couplers
Hydraulic System Tested and Pre-Calibrated
Final Calibration Upon Delivery
Central Hydraulic System Installed 100% To Your Specifications-No Exceptions

Dump Body

Monroe 10' Stainless Steel Dump Body

7 Gauge 304 2B Finish Stainless Steel Construction
Entire Body Continuously Welded
Crossmemberless Understructure
¼" AR450 Floor
30" Sides
Single Horizontal Weld on Side Brace Per Side
Dirt Shedding Lower Rub Rail
Grip Strut Walk rail Both Sides
38" Tailgate
Double Horizontal Weld on Tailgate Braces
Single Coal Chute in Center of Tailgate
Flame Cut Tailgate Hardware
Double Acting Air Release Tailgate
3 Obround Light Holes in Each Rear Corner Post
22"x84" Stainless Steel Cabshield with Light Boxes Fully Welded
Stainless Steel Pull Out Ladder Installed Drivers Side
Dump Body Installed 100% To Your Specifications-No Exceptions

Hoist

Mailhot CS90DA Telescopic Hoist

NTEA Class 50
Full Double Acting

12" Doghouse in Body
Formed Stainless Steel Longsills
No Subframe-Cut In Rear Hinge (lowest possible mounting height)
Hoist Installed 100% To Your Specifications-No Exceptions

Spreader

Monroe Model MS966 Undertailgate Spreader
7 Gauge 201 Stainless Steel Construction
¼" End Plates
6" Auger-Direct Drive
Standard Left Hand Discharge
Self Leveling 18" Poly Spinner Disc
Slurry Tube in Spreader Trough
Spreader Installed 100% To Your Specifications-No Exceptions

Pre Wetting System

Monroe 100 Gallon Frame Mounted Pre Wet Tank
Stainless Steel Mounting Hardware
Certified Power Closed Loop Pre Wet Pump
Flowmeter and Feedback Cable
Liquid Applied Through Slurry Tube in Spreader Trough
Flush Kit
Pre Wet System Installed 100% To Your Specifications-No Exceptions

Electrical

ABL Heated LED Plow lights Mounted on Hood with Stainless Brackets
SoundOff Signal LED Strobe Package
(3) Green and (3) Amber LED Strobe Lights Installed in Cabshield (Alternating Pattern)
(1) Green and (1) Amber LED Strobes Mounted in Rear Corner Posts
(2) LED Stop/Tail/Turn Lights Mounted in Rear Corner Posts
(2) LED Back Up Lights Mounted in Rear Corner Posts
(2) 3000 Lumen Heated LED Spinner Lights
Body Up Light with Proximity Switch Installed
Power Distribution Panel Installed inside back of cab
97 DB Back Up Alarm
Home Run Wiring with no splices
No Rear Junction Box

All Wiring Connections Soldered and Covered with Heat Shrink Connectors
All Wiring Installed on Stainless Backbone
Wiring Schematic Furnished Upon Completion
Electrical System Installed 100% To Your Specifications-No Exceptions

Pintle Plate

3/4" Pintle Plate Fully Welded
20 Ton Pintle Hook
7 Way RV/Flat Blade Trailer Plug
(2) 1" D-Rings Installed
Chassis OEM Taillights Installed Outside of Pintle Plate

Miscellaneous

OnSpot Automatic Tire Chains
Cougar DC3500 Dump Body Vibrator
Red and White Reflective Tape on Lower Rub rails and Tailgate
Chassis Frame Rails and Underside of Dump Body Undercoated
Full Poly Fenders with Stainless Brackets
Rear Mudflaps With Stainless Steel Hinged Brackets

Total Package Price \$110,387.00

W.A. Jones

Truck Bodies and Equipment

Columbia City, IN

www.wajonestruckequipment.com

TITLE: _____ SIGNATURE: _____

PURCHASE ORDER #: _____ DATE: _____

Due to the current volatility of the steel market, prices are not guaranteed past 30 days from date of quote. The chassis supplied for this quote requires an 84" CA with clean frame rails, PTO provision, and stationary grille. Pricing includes pick up and delivery of completed unit unless otherwise noted.

Due to current Federal Emissions Standards, WA Jones will not be held responsible for any chassis that requires exhaust modification. WA Jones will not be held responsible for relocating chassis components that interfere with mounted equipment unless prior documentation is received prior to order. Warranty period of 12 months from receipt of completed truck covering all parts and labor.

We appreciate the opportunity to provide you with a quote for this project. Please feel free to contact me with any questions.

Regards,

Paul Sackett

Municipal Sales Representative

614-595-7394 mobile

paulsackett@wajonestruckequipment.com




1171 South Williams Dr.
Columbia City, IN 46725
Phone: 260-244-7661

www.wajonestruckequipment.com

Cheetah 2 quote

From Fairfield Power Equipment <fairfield_power@fuse.net>
Date Tue 10/8/2024 10:55 AM
To Bennett, Jeff <jbennett@fairfieldtwp.org>
Cc shaunstevenson99@gmail.com <shaunstevenson99@gmail.com>

 1 attachments (23 KB)

Fairfield township cheetah quote.pdf;

Good morning Jeff

Thank you for giving us another opportunity to give you a quote on some lawn mowers. This is current pricing for 2 new Scag cheetah 2s. there are two differences between this one and the current one you purchased a couple years ago. It has a 40hp vanguard engine vs the 37hp you currently have and they now offer the new ones with a suspension seat and suspension platform where your other one only has a suspension platform. Also like we discussed this is the sourcewell quote which is a way better price than the bid programs. If you have further questions or need anything please let me know.

Shaun

Fairfield Power Equipment



Virus-free www.avg.com



4847 Factory Drive
Fairfield, OH 45014

www.fairfieldpowerequipment.com

Status: Quote
Make
Type

Invoice Number **128634**
Date Created **10/08/2024**
Date **10/08/2024**
P.O. #
Ref. Number

Phone: 887-4403 513-939-6567
FAIRFIELD TOWNSHIP, JEFF
6032 MORRIS RD
FAIRFIELD TWP OH 45011

Service Required:

QUOTE FOR 2 NEW CHEETAH 2. MSRP AS OF NOW IS 16999.00 AFTER SOURCEWELL HERE IS THE CURRENT PRICING. 2 DIFFERENCES BETWEEN THIS MOWER AND YOUR EXISTING. THIS IS A 40HP VANGAURD VS A 37 WHICH IS ON THE EXISTING AND THE NEW ONES HAVE A SUSPENSION SEAT ON IT ALONG WITH THE SUSPENSION PLATFORM.

Item Number	Description	Qty	Unit Price	Ext. Price	W/	SO
MIFPEMISC	8A54W/SCZII-61V-40BV-EFI	2	\$12,869.00	\$25,738.00		

CUSTOMER SIGNATURE _____

Shipping Charges \$0.00	Ship Via	Labor \$0.00	Pickup & Delivery	Shop Materials \$0.00	EPA Charge Restocking Fee \$0.00
S/O Items		Taxable Items	25,738.00	Transaction Total	\$25,738.00
S/O Shipping		Non Taxable Items	\$0.00	Payment Method	SOURCE WELL PRICING
S/O Tax		Tax	\$0.00		
S/O Total		Tax Total	25,738.00		
S/O Deposit Amt					
S/O Balance Due:	25738			Balance Due	\$25,738.00